



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/825,145	04/14/2004	Daniel James Winarski	TUC920040007US1	7857

65384 7590 11/19/2008  
HAMILTON & TERRILE, LLP  
IBM Tucson  
P.O. BOX 203518  
AUSTIN, TX 78720

EXAMINER
----------

KROFCHECK, MICHAEL C

ART UNIT	PAPER NUMBER
----------	--------------

2186

NOTIFICATION DATE	DELIVERY MODE
-------------------	---------------

11/19/2008

ELECTRONIC

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

tmunoz@hamiltontertile.com

<b>Office Action Summary</b>	<b>Application No.</b> 10/825,145	<b>Applicant(s)</b> WINARSKI ET AL.	
	<b>Examiner</b> MICHAEL C. KROFCHECK	<b>Art Unit</b> 2186	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 05 September 2008.
- 2a) ☒ This action is **FINAL**.                      2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1,4-13,15 and 18 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1,4-13,15 and 18 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 14 April 2008 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)                     | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____                                      |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)          | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____  | 6) <input type="checkbox"/> Other: _____                          |

### DETAILED ACTION

1. This office action is in response to amendment filed on 9/5/2008.
2. The objections and rejections from the prior correspondence that are not restated herein are withdrawn.

#### ***Claim Rejections - 35 USC § 103***

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
  2. Ascertaining the differences between the prior art and the claims at issue.
  3. Resolving the level of ordinary skill in the pertinent art.
  4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
5. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was

Art Unit: 2186

not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

6. Claims 1, 5-8, 10, 12-13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kopsaftis (5659801), Torrey et al. (2003/0084240), and Goodman et al. (20040054883).

7. With respect to claims 1 and 6, Kopsaftis teaches of a method for updating microcode in an automated data storage library, comprising the steps of: assigning a first logical unit number (LUN) to a first device, wherein the first device is an input/output device of said automated data storage library (fig. 1; column 5, lines 29-37; where the commands directed to the disk drive, 10 are received by the bus interface as they contain the same LUN as stored in the bus interface. Thus the disk drive device must have been assigned a LUN);

said first device receiving a plurality of commands (fig. 1; column 5, lines 29-37; where the commands directed to the disk drive, 10 are received by the bus interface as they contain the same LUN as stored in the bus interface);

wherein said first LUN processes I/O commands (column 4, lines 1-16);

said first device obtaining a LUN address from each of said plurality of commands (fig. 1; column 5, lines 29-37; where the commands directed to the disk drive, 10 are received by the bus interface as they contain the same LUN as stored in the bus interface);

in response to said LUN address obtained from each of said plurality of commands being equal to said first LUN, processing each of said plurality of commands as input/output commands of said first device (fig. 1; column 5, lines 29-37, 47-62); and

in response to said first device receiving a prepare for microcode update command, placing said first device in an operational state to receive said update of said microcode (column 8, lines 63-65).

Kopsaftis fails to explicitly teach of assigning a second LUN to a memory. However, Torrey teaches of assigning a first LUN to a first I/O device; assigning a second LUN to a memory, wherein said memory is memory of said I/O device (fig. 2; paragraph 15-16; where the library is LUN 1-0 or LUN 0 and the drives may be LUNs 1-1, 1-2, or LUNs 1, 2);

wherein said first LUN and said second LUN are separate (fig. 2; paragraph 15-16; as the library has a LUN and the drives have different LUNs they are individually distinguishable and thus separate);

said first device obtaining a LUN address from each of said plurality of commands (fig. 3; paragraph 19-20)

The combination of Kopsaftis and Torrey teaches of said second LUN processes microcode update commands (Kopsaftis, fig. 1, 3; column 8, line 63-column 9, line 2; in the combination the internal memories are assigned LUNs, and are thus accessed via them Torrey, paragraph 16, 19-20);

in response to said LUN address obtained from each of said plurality of commands being equal to said second LUN, storing said microcode in said memory

Art Unit: 2186

using said LUN address assigned to said memory by processing each of said plurality of commands, thereby updating said stored microcode in said first device (Kopsaftis, fig. 1, 3; column 5, lines 29-37, column 8, line 63-column 9, line 15; Since in the combination, each command contains the LUN of where it is applied (Torrey paragraph 19-20) the initiator command and subsequent microcode upgrade commands would contain the LUN for the appropriate memory).

Kopsaftis fails to explicitly teach of directly overwriting said microcode in said memory.

However, Goodman teaches of directly overwriting said microcode in said memory (fig. 4; paragraph 14-15, 46).

It would have been obvious to one of ordinary skill in the art having the teachings of Kopsaftis and Torrey at the time of the invention to assign the different types of storage in Kopsaftis different LUNs as taught in Torrey. Their motivation would have been to facilitate control of multiple devices and assist in upgrades Torrey (paragraphs 4-5).

It would have been obvious to one of ordinary skill in the art having the teachings of Kopsaftis, Torrey, and Goodman at the time of the invention to directly overwrite the prior microcode of the combination of Kopsaftis and Torrey as taught in Goodman. Their motivation would have been to more efficiently use and access the memory.

8. With respect to claim 5, Kopsaftis teaches of wherein said processing each of said plurality of commands to update said microcode further comprises: overwriting said

Art Unit: 2186

memory associated with said first device with an updated microcode (fig. 3, item 236; column 10, lines 25-37).

9. With respect to claim 7, Kopsaftis teaches of a host, wherein said host sends microcode update commands to said first device (fig. 1; item 20; column 1, lines 25-29, column 3, lines 32-43).

10. With respect to claim 8, Kopsaftis teaches of a host (fig. 1; item 20; column 3, lines 32-43); and

a device interface coupled to said host wherein said device interface receives commands from said host and transfers said commands to LUN addressable components (fig. 1; item 40; column 3, lines 32-43; column 3, line 66-column 4, line 3; as the commands are sent to the disk drive (LUN addressable components) from the host, it must be done through the SCSI interface as it is the only connection between the two).

11. With respect to claim 10, Kopsaftis teaches of wherein said memory is coupled to said first device (fig. 1, items 108, 10; where the memory 108 is connected to the bus interface and all the other components of the disk drive, thus being coupled to the disk drive (first device)).

12. With respect to claim 12, Kopsaftis teaches of a second device removably attached to said first device, wherein said memory is coupled to said second device (fig. 1; item 60; where the SCSI bus, 60, is attached to the disk drive. It is abundantly clear to one of ordinary skill in the art that the bus is removably attached to the disk drive, as disk drives the cables connecting them to the bus can be disconnected from the each

other in a computer. As such the non-volatile memory, 108 is attached to it through the bus interface).

13. With respect to claim 13, Kopsaftis teaches of a controller for operating said first device, wherein said memory is coupled to said controller (fig. 1; items 106, 112).

14. Claim 4 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kopsaftis, Torrey, and Goodman as applied to claim 1 above, and further in view of Shirasawa et al. (2002/0166027).

15. With respect to claim 4, Kopsaftis fails to explicitly teach of not accepting any new commands for processing; completing all current commands; and placing movable components at a rest position. However, Shirasawa teaches of wherein said placing said first device in an operational state to receive said update of said microcode further comprises: not accepting any new commands for processing; completing all current commands (fig. 3, paragraph 0038-0039; where the I/O process to the hard disk A is stopped. It is abundantly clear to one of ordinary skill in the art that the command currently being executed are finished as if they were abruptly stopped, that can result in corrupting the data on the drive); and

placing movable components at a rest position (fig. 3, paragraph 0038-0039; It is abundantly clear to one of ordinary skill in the art that as all access to the drive has stopped and that a reboot of the drive will be necessary upon completion of the firmware update, initially powering down the spindle motor, arm, etc. would conserve considerable power while the firmware is being updated).



It would have been obvious to one of ordinary skill in the art having the teachings of Kopsaftis, Torrey, Goodman, and Shirasawa at the time of the invention to enable the transferring of I/O processing to another drive when updating the firmware of a specific drive in the combination of Kopsaftis, Torrey, and Goodman as taught in Shirasawa. This would enable current I/O processing to continue uninterrupted (Shirasawa, paragraph 0012).

16. Claim 9 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kopsaftis, Torrey, and Goodman as applied to claim 6 above, and further in view of Pellegrino et al. (2004/0225775).

17. With respect to claim 9, Kopsaftis fails to explicitly teach of said memory is an EEPROM. However, Pellegrino teaches of wherein said memory is an Electrically Erasable Programmable Read Only Memory (paragraph 0030).

It would have been obvious to one of ordinary skill in the art having the teachings of Kopsaftis, Torrey, Goodman, and Pellegrino at the time of the invention to make the non-volatile memory of the combination of Kopsaftis, Torrey, and Goodman an EEPROM as taught in Pellegrino as numerous devices have embedded their firmware in EEPROM so that it can be updated, and will not be lost when power is removed from the memory (Pellegrino, paragraph 0030).

18. Claim 11 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kopsaftis, Torrey, and Goodman as applied to claim 6 above, and further in view of Abbott et al. (6205093).

Art Unit: 2186

19. With respect to claim 11, Kopsaftis fails to explicitly teach of an accessor. However, Abbott teaches of further comprising an accessor, wherein said memory is coupled to said accessor (fig. 2; item 18; column 4, lines 18-35).

It would have been obvious to one of ordinary skill in the art having the teachings of Kopsaftis, Torrey, Goodman, and Abbott at the time of the invention to store and update the microcode of Abbott in a non-volatile memory as taught in the combination of Kopsaftis, Torrey and Goodman, implementing the microcode updating method in a tape system as Kopsaftis teaches of the system also using tapes, column 1, lines 6-24. This would simplify the processing of sending separate management and data I/O commands over the same interface in the tape system and provide increased speed by using a solid state memory over a disk drive to store the microcode in.

20. Claim 15 rejected under 35 U.S.C. 103(a) as being unpatentable over Kopsaftis, Torrey, Goodman, and Burton et al. (6393535).

21. With respect to claim 15, the combination of Kopsaftis, Torrey, and Goodman teaches of all the limitations cited above with respect to claims 1 and 6. Burton teaches of an article of manufacture comprising a data storage medium tangibly embodying a program of machine-readable instruction executed by a processing apparatus to perform method steps (column 9, lines 35-53).

It would have been obvious to one of ordinary skill in the art having the teachings of Kopsaftis, Torrey, Goodman, and Burton at the time of the invention to implement the method steps from the combination of Kopsaftis and Torrey, and Goodman in the

Art Unit: 2186

information bearing media of Burton. Their motivation would have been to allow for the process to be easily transferred and implemented on different computer systems.

22. Claim 18 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kopsaftis, Torrey, Goodman, and Burton as applied to claim 15 above, and further in view of Shirasawa.

23. With respect to claim 18, Shirasawa teaches of the limitations cited above with respect to claim 4.

It would have been obvious to one of ordinary skill in the art having the teachings of Kopsaftis, Torrey, Goodman, Burton, and Shirasawa at the time of the invention to enable the transferring of I/O processing to another drive when updating the firmware of a specific drive in the combination of Kopsaftis, Torrey, Goodman, and Burton as taught in Shirasawa. This would enable current I/O processing to continue uninterrupted (Shirasawa, paragraph 0012).

### ***Response to Arguments***

24. Applicant's arguments filed 4/17/2008 have been fully considered but they are not persuasive.

25. Applicant argues with respect to independent claims 1 and 6 that the combination of Kopsaftis, Torrey, and Goodman, specifically Torrey do not teach of assigning a second LUN to a memory, wherein said memory is memory of said I/O device. The examiner disagrees.

As shown in figure 2 and described in paragraphs 15-16 of Torrey, the entire library is identified as LUN1-0 or LUN 0 and type a driven within the library are LUN1-1 or LUN 1. The library is an I/O device and the drives are memory devices.

26. Applicant also argues with respect to claims 1 and 6 that the combination of Kopsaftis, Torrey, and Goodman do not teach of the first LUN processing I/O commands and the second LUN processing microcode update commands. The examiner disagrees.

Kopsaftis teaches in column 4, lines 1-16, of the first LUN processing I/O commands, where the disk drive is requested to read data and write data to it's platters. The disk drive is assigned a LUN in column 5, lines 29-37. Kopsaftis also teaches of in column 8, lines 63-columnn 9, line 15 and column 10, lines 25-29 of the second LUN processing microcode update commands, where non-volatile memory (2<sup>nd</sup> LUN in the combination of Kopsaftis and Torrey) receives the new microcode from the RAM.

27. Applicant argues with respect to the independent claims (claims 1, 6, and 15) that the combination of Kopsaftis, Torrey, Goodman, and Burton (in claim 15), does not teach of (1) in response to the LUN address obtained from each of the plurality of commands being equal to the second LUN, directly overwriting the microcode in the memory using the LUN address assigned to the memory by processing each of the plurality of commands, thereby updating the stored microcode in the first device, and (2) in response to the first device receiving a prepare for microcode update command, placing the first device in an operational state to receive the update of the microcode. The examiner disagrees with this.

In response to (1), Torrey in paragraph 19-20 teaches that each command indicates the LUN of the memory that it is to be applied to. Applying this to the initiator and microcode upgrade commands of Kopsaftis (disclosed in column 5, lines 29-37, column 8, line 63-column 9, line 15) the initiator and microcode upgrade commands would contain the required LUN, and cause the microcode upgrade to occur. The combination in view of Goodman would directly overwrite the old microcode in the memory with the new microcode (Goodman, fig. 4; paragraph 14-15, 46).

In response to (2), Kopsaftis explicitly teaches this in column 8, lines 63-65 stating, "when the initiator command is detected...the disk drive enters a state ready to receive new microcode." Fig. 4 of Kopsaftis shows the initiator command detector connected to the bus interface (first device) that detects the initiator command.

28. Applicant argues with respect to claims 4 and 18 that the combination of Kopsaftis, Torrey, Goodman, Burton (in claim 18), and Shirasawa does not teach of placing a first device in an operational state to receive the update of the microcode which further comprises not accepting any new commands for processing; completing all current commands; and placing movable components at a rest position.

The examiner disagrees. Paragraphs 38-39 of Shirasawa teaches of halting all I/O processes to the hard disk prior to updating the hard disk's firmware. It is abundantly clear to one of ordinary skill in the art to finish currently executing I/O processes because if the current processes are abruptly stopped, the data on the drive may become corrupt and would be in an unreliable state. It is also obvious to one of ordinary skill in the art that since there are no longer I/O processes occurring in the hard

Art Unit: 2186

drive, that the heads and arms of the hard drive are not moving since they are not actively reading, writing, or searching for data.

### ***Conclusion***

29. **THIS ACTION IS MADE FINAL.** See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

30. A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

31. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael Krofcheck whose telephone number is 571-272-8193. The examiner can normally be reached on Monday - Friday.

32. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matt Kim can be reached on 571-272-4182. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2186

33. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/MICHAEL C KROFCHECK/  
Examiner, Art Unit 2186

/Matt Kim/  
Supervisory Patent Examiner, Art  
Unit 2186

Michael Krofcheck